

TEMPORARY

No. 66500-T

AMENDED

TEMPORARY

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUN 27 2000

Returned to applicant for correction AUG 08 2000

Corrected application filed AUG 16 2000

Map filed AUG 16 2000

The applicant **Alan Glen and Norman R. Higo and Donna J. Higo**, hereby make application for permission to change the **point of diversion, place of use and manner of use of a portion**, of water heretofore appropriated under **Permit 49067**

1. The source of water is **underground**
2. The amount of water to be changed **1.0 afa; .0015 cfs**
3. The water to be used for **landscaping -- drip irrigation**
4. The water heretofore permitted for **quasi-municipal and domestic**
5. The water is to be diverted at the following point **within the NW¼ NE¼ Sec. 18, T.19N., R.18E., MDB&M, at a point from which the North One-Quarter corner of said Section 18 bears S. 71° 45" E. a distance of 528.5 feet.**
6. The existing permitted point of diversion is located within **the NE¼ SE¼ Sec. 7, T.19N., R.18E., MDB&M, at a point from which the SE corner of said Sec. 7 bears S. 27° 15' 57" E, 2098.05 feet.**
7. Proposed place of use **within portions of NW¼ NE¼, NE¼ NE¼ and the SW¼ NE¼ Sec. 18, T.19N., R.18E., MDB&M.**
8. Existing place of use **Sec. 5; portion of N½; N½ SW¼ Sec. 8; SE¼, S½ NE¼ Sec. 7, NW¼ NW¼ Sec. 17; E½ NE¼ Sec. 18, T.19N., R.18E., MDB&M.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **drilled and cased well, submersible pump and motor – engineered drip system.**
12. Estimated cost of works **\$15,000**
13. Estimated time required to construct works **two years**
14. Estimated time required to complete the application of water to beneficial use **three years**

15. Remarks: Well was drilled many years aago, probably by Nevada Dept of Fish & Game. Well will be utilized for drip irrigation system within Lots 1, 3 & 4 of Parcel Map copy enclosed. System will be used for newly planted trees. Annual volume not to exceed 1.0 afa.

By s/ Ross E. de Lipkau
Ross E. de Lipkau
P. O. Box 2790
Reno, NV 89505-2790

Compared my/cmf dl/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 49067 is issued subject to the terms and conditions imposed in said Permit 49067 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on **February 11, 2002** at which time all rights herein granted shall revert to the right being changed by this temporary permit.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0015 cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Water must be placed to beneficial use on or before:

Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 12th day of, February A.D. 2001


State Engineer

TEMPORARY